




✓ High Temperature Resistance ✓ High Temperature Restriction ✓ Partial Shading Optimisation ✓ Extraordinary Aesthetic Design

• Operating Temperature -40°C ~ +85°C

• T_{98} max

• Junction Box IP68

• NOCT


• Maximum Series Fuse Rating 25A

• Maximum System Voltage 1500V(IEC)

Mechanical Parameters


Cell Type	G C
No. of cells	120 6×20
Glass	3.2 mm tempered glass
Frame	nodized aluminum
Output Cables	TüV 1×4mm², (+)300mm, (-)200mm or Customized Length
Weight	23.3 kg (51.34 lbs)
Dimension	1954×1134×30mm
Connector	For details please refer to page3
Packaging	37 pcs per pallet 148 pcs per 20' GP 888 pcs per 40' HC
Protection Class	Class II
Fire Rating	IEC Class C

Engineering Drawings



Electrical Characteristics STC Test)

Module Type	GK-5-60HGb-520M		
Testing Condition	STC		NOCT
Maximum Power (Pmax/W)	520		394
Open-circuit Voltage (Voc/V)	45.42		43.09
Maximum Power Voltage (Vmp/V)	38.30		36.34
Short-circuit Current (Isc/)	14.29		11.56
Maximum Power Current (Imp/)	13.58		10.86
Module Efficiency (%)	23.5		




Temperature Ratings (STC)

Temperature Coefficient of Isc	+0.05%/
Temperature Coefficient of Voc	-0.22%/
Temperature Coefficient of Pmax	-0.26%/

Mechanical Test Load

Front Side Maximum Static Loading	5400Pa
Rear Side Maximum Static Loading	2400Pa
Hailstone Test	25 mm diameter hail at 23 m/s



Gokin

Cable type

Wuxi Xinhongye Wire&Cable Co., Ltd.

Ningbo Kibor Wire&Cable Co., Ltd.

Ningbo Minghe New Energy Technology Co., Ltd.

Xinya Electronic Co., Ltd.

QC Solar(Suzhou) Corporation

RUIXU INDUSTRY CO., Ltd.

SUZHOU YONGHAO CABLE CO., LTD.

Jiangxi Jinko PV Material Co., Ltd.

Suzhou Xtong Photovoltaic Technologies Co., Ltd.

Connector type

PV-MH5,Ningbo Minghe New Energy Technology Co., Ltd.

QC4.10-cds, QC Solar (Suzhou)Corporation

QC4.10-ab, QC Solar (Suzhou)Corporation

QC4, QC Solar (Suzhou)Corporation

T4-PPE-1;T4-PC-1, Changshu Tlian Co.,Ltd.

PV4-Syx&PV4-Slyx, Tyco Electronics Austria GmbH.

PV-KST4-EVO2/xy&PV-KBT4-EVO2/xy, Stäubli Electrical connectors AG

PV-KST4-EVO2A/xy&PV-KBT4-EVO2A/xy, Stäubli Electrical connectors AG

PV-JK03M/xy, Jiangxi Jinko PV Material Co., Ltd.

PV-JK03M1/xyz, Jiangxi Jinko PV Material Co., Ltd.

PV-JK03M2/xy, Jiangxi Jinko PV Material Co., Ltd.

PV-KST4-EVO2/xy_UR&PV-KBT4-EVO2/xy_UR, Stäubli Electrical connectors AG

PV-XT101.1;PV-XT101.2;XT2, Suzhou Xtong Photovoltaic Technologies Co.,Ltd

PV-GK01, Gokin Solar Co., Ltd.