



产品认证证书

— 强制性产品认证 —

CQC25024473117

2025 05 27
2030 05 26

58 1102


58 1102

2


IEC61730-1:2023;IEC 61730-2:2023

+

CQC33-471541-2023



www.cnca.gov.cn







光伏组件认证

光伏组件认证

CQC25024473117

1 29

组件型号		Voc[V]/ ±3%	Vmp [V]	Isc [A]/ ±3%	Imp [A]	Pmax[W]/ ±3%	系统 电压[V]	额定熔断电流 [A]
GK-1-54HTBD-420M	STC	38.11	31.51	14.07	13.33	420	1500	30
	BNPI	38.12	31.51	15.44	14.62	460		
	BSI	—	—	17.21	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-54HTBD-425M	STC	38.30	31.70	14.15	13.41	425	1500	30
	BNPI	38.37	31.80	15.60	14.78	470		
	BSI	—	—	17.38	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-54HTBD-430M	STC	38.49	31.88	14.23	13.49	430	1500	30
	BNPI	38.54	31.97	15.68	14.86	475		
	BSI	—	—	17.45	—	—		
	φ	100±5%	—	80±5%	—	80±5%		






ASPHALT PAVING

CQC25024473117

2 29



CHANGING AMERICA

CHANGING AMERICA

CHANGING AMERICA



中国质量认证中心



ASIAN/ASI 认证证书

CQC25024473117

3

29

	BSI	—	—	17.81	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-54HTBD-455M	STC	39.44	32.76	14.59	13.89	455	1500	30
	BNPI	39.47	32.78	16.03	15.26	500		
	BSI	—	—	17.89	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-60HTBD-465M	STC	42.22	34.89	14.07	13.33	465	1500	30
	BNPI	42.23	34.89	15.45	14.63	510		
	BSI	—	—	17.29	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-60HTBD-470M	STC	42.38	35.05	14.15	13.41	470	1500	30
	BNPI	42.47	35.18	15.60	14.78	520		
	BSI	—	—	17.37	—	—		
	φ	100±5%	—	80±5%	—	80±5%		






THÔNG TIN DỰ ÁN

4 29

CQC25024473117

GK-1-60HTBD-475M	STC	42.54	35.21	14.23	13.49	475	1500	30
	BNPI	42.60	35.33	15.68	14.86	525		
	BSI	—	—	17.45	—	—		
	ϕ	100 $\pm$ 5%	—	80 $\pm$ 5%	—	80 $\pm$ 5%		
GK-1-60HTBD-480M	STC	42.71	35.38	14.31	13.57	480	1500	30



THÔNG TIN DỰ ÁN





中国质量认证中心



AS/NZS 60335.1

CQC25024473117

5

29

	BSI	—	—	17.78	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-60HTBD-495M	STC	43.18	35.84	14.56	13.81	495	1500	30
	BNPI	43.20	35.88	16.01	15.19	543		
	BSI	—	—	17.86	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-60HTBD-500M	STC	43.34	36.00	14.64	13.89	500	1500	30
	BNPI	43.36	36.02	16.09	15.27	550		
	BSI	—	—	17.94	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-60HTBD-505M	STC	43.50	36.15	14.72	13.97	505	1500	30
	BNPI	43.52	36.16	16.17	15.35	555		
	BSI	—	—	18.00	—	—		
	φ	100±5%	—	80±5%	—	80±5%		






KUALA LUMPUR PASIR MAS

6 29

CQC25024473117

GK-1-72HTBD-560M	STC	50.67	41.93	14.13	13.35	560	1500	30
	BNPI	50.68	41.95	15.52	14.66	615		
	BSI	—	—	17.33	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-72HTBD-565M	STC	50.87	42.14	14.19	13.41	565	1500	30
	BNPI	50.97	42.29	15.64	14.78	625		
	BSI	—	—	17.39	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-72HTBD-570M	STC	51.07	42.29	14.25	13.48	570	1500	30
	BNPI	51.17	42.42	15.70	14.85	630		
	BSI	—	—	17.51	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-72HTBD-575M	STC	51.27	42.44	14.31	13.55	575	1500	30
	BNPI	51.37	42.56	15.76	14.92	635		






ANNUAL REPORT 2019/2020

7 29

CQC25024473117

GK-1-72HTBD-580M	BSI	—	—	17.57	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
	STC	51.47	42.59	14.37	13.62	580		
	BNPI	51.57	42.70	15.82	14.99	640		
GK-1-72HTBD-585M	BSI	—	—	17.63	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
	STC	51.67	42.74	14.43	13.69	585		
	BNPI	51.77	42.80	15.88	15.07	645		
GK-1-72HTBD-590M	BSI	—	—	17.69	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
	STC	51.87	42.89	14.49	13.76	590		
	BNPI	51.97	42.94	15.94	15.14	650		



ANNUAL REPORT
2019/2020





ASPHALT PAVING

CQC25024473117

8 29

GK-172HTBD-595M	STC	52.07	43.04	14.55	13.83	595	1500	30
	BNPI	52.17	43.07	16.00	15.21	655		
	BSI	—	—	17.87	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-172HTBD-600M	STC	52.27	43.19	14.61	13.90	600	1500	30C





中国质量认证中心


AS/NZS 60335.1

9

29

CQC25024473117

	BSI	—	—	16.74	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-615M	STC	56.44	47.15	13.71	13.05	615	1500	30
	BNPI	56.81	47.35	15.08	14.36	680		
	BSI	—	—	16.80	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-620M	STC	56.61	47.30	13.77	13.12	620	1500	30
	BNPI	56.94	47.50	15.14	14.42	685		
	BSI	—	—	16.86	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-625M	STC	56.78	47.45	13.83	13.19	625	1500	30
	BNPI	57.07	47.65	15.20	14.48	690		
	BSI	—	—	16.92	—	—		
	φ	100±5%	—	80±5%	—	80±5%		



中国质量认证中心




1. 工程概况 2. 工程地质 3. 工程地质

CQC25024473117

GK-1-78HTBD-630M	STC	56.95
	BNPI	57.20
	BSI	—
	φ	100±5%
GK-1-78HTBD-635M	STC	57.12
	BNPI	57.33
	BSI	—
	φ	100±5%
	STC	57.29

		10	29
13.25	630	1500	30
14.54	695		
—	—		
—	80±5%		
13.31	635	1500	30
14.60	700		
—	—		
—	80±5%		
13.37	640	1500	30
14.66	705		
—	—		
—	80±5%		
13.42	645	1500	30

BNPI 57.59 48.23





中国质量认证中心



AS/NZS 60335.1

11

29

CQC25024473117

	BSI	—	—	17.22	—	—	1500	30
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-650M	STC	57.63	48.22	14.11	13.48	650	1500	30
	BNPI	57.72	48.38	15.50	14.78	713		
	BSI	—	—	17.28	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-655M	STC	57.79	48.38	14.17	13.54	655	1500	30
	BNPI	57.86	48.53	15.56	14.84	720		
	BSI	—	—	17.34	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-1-78HTBD-660M	STC	57.95	48.54	14.23	13.60	660	1500	30
	BNPI	58.00	48.68	15.62	14.90	725		
	BSI	—	—	17.40	—	—		
	φ	100±5%	—	80±5%	—	80±5%		





THÔNG TIN SẢN PHẨM



ASPHALT / BÊ TÔNG

12

29

CQC25024473117

GK-4-48HTBD-425M	STC	34.38	29.00	15.73	14.66	425	1500	35
	BNPI	34.41	29.00	17.37	16.10	465		
	BSI	—	—	19.02	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-48HTBD-430M	STC	34.55	29.18	15.80	14.74	430	1500	35
	BNPI	34.58	29.18	17.44	16.19	470		
	BSI	—	—	19.10	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-48HTBD-435M	STC	34.72	29.36	15.87	14.82	435	1500	35
	BNPI	34.75	29.36	17.51	16.27	475		
	BSI	—	—	19.18	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-48HTBD-440M	STC	34.89	29.54	15.94	14.90	440	1500	35
	BNPI	34.92	29.54	17.58	16.35	480		







ANALYSIS OF DATA

13

29

CQC25024473117

GK-4-48HTBD-445M	BSI	—	—	19.26	—	—	1500	35
	ϕ	100 $\pm$ 5%	—	80 $\pm$ 5%	—	80 $\pm$ 5%		
	STC	35.06	29.72	16.01	14.98	445		
	BNPI	35.09	29.72	17.65	16.43	485		
GK-4-48HTBD-450M	BSI	—	—	19.34	—	—	1500	35
	ϕ	100 $\pm$ 5%	—	80 $\pm$ 5%	—	80 $\pm$ 5%		
	STC	35.23	29.90	16.08	15.05	450		
	BNPI	35.26	29.90	17.72	16.50	490		
GK-4-48HTBD-455M	BSI	—	—	19.42	—	—	1500	35
	ϕ	100 $\pm$ 5%	—	80 $\pm$ 5%	—	80 $\pm$ 5%		
	STC	35.40	30.08	16.15	15.13	455		
	BNPI	35.43	30.08	17.79	16.55	495		






ANNUAL REPORT 2014/15

CQC25024473117

14

29

GK-4-48HTBD-460M	STC	35.60	30.28	16.21	15.19	460	1500	35
	BNPI	35.60	30.30	17.85	16.66	505		
	BSI	—	—	19.56	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-48HTBD-465M	STC	35.80	30.48	16.28	15.26	465	1500	35
	BNPI	35.80	30.49	17.91	16.73	510		
	BSI	—	—	19.63	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-54HTBD-480M	STC	39.21	32.25	15.62	14.89	480	1500	35
	BNPI	39.21	32.28	17.23	16.42	530		
	BSI	—	—	19.17	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-54HTBD-485M	STC	39.41	32.45	15.68	14.95	485	1500	35
	BNPI	39.41	—	—	—	—		



ANNUAL REPORT
2014/15



中国质量认证中心



ASIAN/AFRICA

CQC25024473117

15

29

GK-4-54HTBD-490M	BSI	—	—	19.22	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	39.61	32.65	15.74	15.01	490		
	BNPI	39.61	32.65	17.34	16.54	540		
GK-4-54HTBD-495M	BSI	—	—	19.27	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	39.81	32.85	15.81	15.07	495		
	BNPI	39.81	32.85	17.41	16.59	545		
GK-4-54HTBD-500M	BSI	—	—	19.32	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	40.02	33.05	15.88	15.13	500		
	BNPI	40.02	33.05	17.47	16.64	550		
GK-4-54HTBD-500M	BSI	—	—	19.37	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	40.02	33.05	15.88	15.13	500		
	BNPI	40.02	33.05	17.47	16.64	550		







ASPIRASI BINA UJ

CQC25024473117

16

29

GK-4-54HTBD-505M	STC	40.22	33.25	15.95	15.19	505		
	BNPI	40.22	33.25	17.53	16.69	555	1500	35





ANNUAL REPORT


CQC25024473117

17

29

GK-4-66HTBD-590M	BSI	—	—	19.56	—	—	—	—	—
	φ	100±5%	—	80±5%	—	80±5%	—	—	—
	STC	47.32	39.67	15.79	14.88	590	—	—	—
	BNPI	47.32	39.71	17.37	16.37	650	—	—	—
GK-4-66HTBD-595M	BSI	—	—	19.41	—	—	—	—	—
	φ	100±5%	—	80±5%	—	80±5%	—	—	—
	STC	47.49	39.81	15.86	14.96	595	—	—	—
	BNPI	47.49	39.84	17.44	16.45	655	—	—	—
BSI		—	—	19.48	—	—	—	—	—

φ



ANNUAL REPORT




ANNUAL REPORT 2018/2019

CQC25024473117

18

29

GK-4-66HTBD-605M	STC	47.83	40.09	16.08	15.10	605	1500	35
	BNPI	47.83	40.09	17.58	16.59	665		
	BSI	—	—	19.62	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-610M	STC	48.00	40.22	16.07	15.18	610	1500	35
	BNPI	48.10	40.35	17.72	16.74	675		
	BSI	—	—	19.75	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-615M	STC	48.17	40.35	16.14	15.25	615	1500	35
	BNPI	48.27	40.47	17.79	16.81	680		
	BSI	—	—	19.82	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-620M	STC	48.34	40.48	16.21	15.33	620	1500	35
	BNPI	48.44	40.58	17.97	16.89	685		



ANNUAL REPORT
2018/2019





ANALYSIS OF DATA

19

29

CQC25024473117

	BSI	—	—	20.02	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-625M	STC	48.51	40.63	16.28	15.41	625	1500	35
	BNPI	48.61	40.73	18.05	16.97	690		
	BSI	—	—	20.09	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-630M	STC	48.68	40.73	16.35	15.48	630	1500	35
	BNPI	48.78	40.81	18.12	17.04	695		
	BSI	—	—	20.16	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-66HTBD-635M	STC	48.85	40.85	16.42	15.55	635	1500	35
	BNPI	48.95	40.93	18.19	17.11	700		
	BSI	—	—	20.23	—	—		
	φ	100±5%	—	80±5%	—	80±5%		






ANNUAL REPORT

CQC25024473117

20

29


GK-4-66HTBD-640M	STC	49.02	40.98	16.48	15.62	640	1500	35
	BNPI	49.12	41.06	18.26	17.18	705		
	BSI	—	—	20.30	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-610M	STC	42.66	36.46	17.83	16.73	610	1500	35
	BNPI	42.75	36.61	19.66	18.44	675		
	BSI	—	—	21.92	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-615M	STC	42.84	36.66	17.96	16.78	615	1500	35
	BNPI	42.91	36.78	19.80	18.49	680		
	BSI	—	—	22.06	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-620M	STC	43.01	36.88	17.99	16.82	620	1500	35
	BNPI	43.07	36.97	19.82	18.53	685		



ANNUAL REPORT



ASTORIA, OREGON



CHANGING AMERICA
CHANGING AMERICA





THÔNG TIN DỰ ÁN



ASPHALT HOT MIX

CQC25024473117

22

29

GK-2-60HTBD-640M	STC	43.72	37.60	18.41	17.02	640	1500	35
	BNPI	43.75	37.64	19.95	18.73	705		
	BSI	—	—	22.18	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-645M	STC	43.90	37.79	18.14	17.07	645	1500	35
	BNPI	43.93	37.81	19.99	18.78	710		
	BSI	—	—	22.21	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-650M	STC	44.08	37.97	18.17	17.12	650	1500	35
	BNPI	44.11	37.97	20.03	18.83	715		
	BSI	—	—	22.24	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-60HTBD-655M	STC	44.26	38.15	18.21	17.17	655	1500	35
	BNPI	44.29	38.15	20.07	18.88	720		






ANALYSIS OF DATA

CQC25024473117

23

29

GK-2-60HTBD-660M	BSI	—	—	22.27	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	44.44	38.33	18.25	17.22	660		
	BNPI	44.47	38.33	20.11	18.93	723		
GK-2-60HTBD-665M	BSI	—	—	22.31	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	44.62	38.51	18.29	17.27	665		
	BNPI	44.65	38.51	20.15	18.98	730		
GK-2-66HTBD-680M	BSI	—	—	22.35	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	46.90	40.30	17.96	16.92	680		
	BNPI	46.95	40.37	19.77	18.62	750		
GK-2-66HTBD-680M	BSI	—	—	22.05	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
	STC	46.90	40.30	17.96	16.92	680		
	BNPI	46.95	40.37	19.77	18.62	750		



ANALYSIS OF DATA





ASPHALT PAVING

CQC25024473117

24

29

GK-2-66HTBD-685M	STC	47.10	40.50	17.98	16.95	685	1500	35
	BNPI	47.15	40.55	19.80	18.65	755		
	BSI	—	—	22.08	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-690M	STC	47.30	40.70	18.02	16.98	690	1500	35
	BNPI	47.35	40.74	19.83	18.68	760		
	BSI	—	—	22.10	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-695M	STC	47.50	40.86	18.05	17.01	695	1500	35
	BNPI	47.55	40.91	19.85	18.70	765		
	BSI	—	—	22.18	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-700M	STC	47.90	41.10	18.08	17.04	700	1500	35
	BNPI	47.90	41.11	19.88	18.73	770		





中国质量认证中心


ASIANIST 认证证书

CQC25024473117

25

29

	BSI	—	—	22.21	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-705M	STC	48.68	41.29	18.11	17.07	705	1500	35
	BNPI	48.73	41.29	19.92	18.77	773		
	BSI	—	—	22.25	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-710M	STC	48.91	41.50	18.15	17.11	710	1500	35
	BNPI	48.94	41.50	19.96	18.81	780		
	BSI	—	—	22.29	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-715M	STC	49.14	41.69	18.19	17.15	715	1500	35
	BNPI	49.15	41.69	20.00	18.85	785		
	BSI	—	—	22.33	—	—		
	φ	100±5%	—	80±5%	—	80±5%		



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTER




ANNUAL REPORT

CQC25024473117

26

29

GK-2-66HTBD-720M	STC	49.36	41.91	18.24	17.18	720	1500	35
	BNPI	49.36	41.91	20.04	18.89	790		
	BSI	—	—	22.37	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-725M	STC	49.55	42.10	18.32	17.22	725	1500	35
	BNPI	49.57	42.10	20.08	18.93	795		
	BSI	—	—	22.41	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-730M	STC	49.71	42.25	18.38	17.28	730	1500	35
	BNPI	49.73	42.25	20.14	18.96	800		
	BSI	—	—	22.45	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-2-66HTBD-735M	STC	49.87	42.39	18.44	17.34	735	1500	35
	BNPI	49.89	42.39	20.20	19.00	805		



ANNUAL REPORT



中国质量认证中心



AS/NZS 60335.1

CQC25024473117

27

29

	BSI	—	—	22.48	—	—	1500	35
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-720M	STC	56.77	47.47	16.06	15.17	720	1500	35
	BNPI	56.77	47.49	17.63	16.64	790		
	BSI	—	—	19.54	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-725M	STC	56.92	47.60	16.12	15.23	725	1500	35
	BNPI	56.92	47.62	17.69	16.69	795		
	BSI	—	—	19.60	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-730M	STC	57.07	47.73	16.18	15.29	730	1500	35
	BNPI	57.07	47.75	17.75	16.75	800		
	BSI	—	—	19.66	—	—		
	φ	100±5%	—	80±5%	—	80±5%		






ANNUAL REPORT

CQC25024473117

28

29

GK-4-78HTBD-735M	STC	57.22	47.86	16.24	15.36	735	1500	35
	BNPI	57.22	47.88	17.81	16.81	805		
	BSI	—	—	19.72	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-740M	STC	57.37	47.99	16.30	15.42	740	1500	35
	BNPI	57.37	48.01	17.87	16.87	810		
	BSI	—	—	19.78	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-745M	STC	57.52	48.12	16.36	15.48	745	1500	35
	BNPI	57.52	48.14	17.93	16.93	815		
	BSI	—	—	19.84	—	—		
	φ	100±5%	—	80±5%	—	80±5%		
GK-4-78HTBD-750M	STC	57.67	48.25	16.42	15.54	750	1500	35
	BNPI	57.67	48.27	17.99	16.99	820		



ANNUAL REPORT





ASPHALT ROAD

CQC25024473117

29

29

	BSI	—	—	19.98			
	φ	100±5%	—	80±5%	80±5%		



ASPHALT ROAD

